
Printing Instructions (create a booklet)

- Go to File, then print
- Select pages 2-19
- Select 'multiple pages per sheet'
- Select '2 pages per sheet'
- Print on A4
- The booklet can then be stapled together as an A4 booklet or cut in half to create a smaller booklet.
- A PDF version is also available for viewing on a phone, computer, tablet or other screen.





Watercourse Protection Zone WPZ Calculations Ready Reckoner



Developed based on the Code of practice for native forest timber production on Queensland's State forest estate 2020

Key Definitions

- A Water Protection Zone (WPZ) is an area that surrounds drainage or a watercourse where harvesting or forest activities are restricted, and/or soil disturbance is minimised through excluding harvest machinery.
 - The WPZ is the buffer + filter.
- A **slump face** is a near vertical active erosion face in a stream or gully protection is 3 times the size. Referred to as **SF** in the tables below.
- A **head scarp** is the head of a gully or nick point in a gully erosion face. Referred to as **HS** in the tables below.
- An active zone is an erosion face (greater than 10cm) or scouring area greater than 1m wide.
- The **erosion face** is referred to as the EF in the tables below.
- A **buffer** is essentially an exclusion zone, aimed at fully protecting vegetation and beds and banks of the watercourse.
- A **filter** allows limited harvest operation opportunities by rubber tyre machines.
- A defining bank is a terrace or bank that confines the average annual peak flow.
- Average annual peak flow is the long term average or high annual watercourse flow level.
- Harvest area is the area that does not include exclusion zones, and available for harvesting.

How to use this document

- 1. Determine the type of watercourse.
- 2. Go to the watercourse page.
- 3. Does the watercourse have a slump face (SF) or head scarp (HS)?
 - a. If yes, find the metres in the table (1m-6m, and 10m found in below tables).
 - b. If no, use '0'.
- 4. Look at the buffer and filter, and total watercourse protection zone.
 - a. The buffer is in red.
 - b. The filter is in orange.
- 5. Apply the watercourse protection zone (WPZ) (red + orange).
- 6. Remainder of area (harvest area) can be harvested as per remainder of the QWPS Code.
- 7. For further information, refer to **Timber Queensland's Watercourse Protection Guide Content.**

Acknowledgments


This field guide is a product of Timber Queensland's Native Forest Operations capacity building project, funded by the Queensland Department of Agriculture and Fisheries.

Disclaimer

Information provided in this document is for general guidance only, it does not replace the prescriptions outlined in Commonwealth and State Government legislation. This field guide has been developed for Queensland state forests, however some of the information and controls may assist private native forestry operations to meet legal obligations.



Stream 1




Rivers and creeks with distinct bed and banks, a channel or braided channel.


Terraces, flood plains and chains of waterholes may also be present.

Stream 1: greater than 10m active zone.

- Vegetation characteristics present.
- Flow may be permanent, semi-permanent, intermittent, or limited to periods after heavy rain.



Stream 2




Rivers and creeks with distinct bed and banks, a channel or braided channel. Terraces, flood plains and chains of waterholes may also be present.

- Vegetation characteristics present.
- Flow may be permanent, semi-permanent, intermittent, or limited to periods after heavy rain.

Stream 2: less than 10m active zone.


	Determine I	<u> </u>	Apply			
Watercourse	Slump Face	Defining Bank	Slump Buffer	Buffer	Filter	B+F
Stream 2	0	2	0	2	20	22
Stream 2	1	2	3	5	20	25
Stream 2	2	2	6	8	20	28
Stream 2	3	2	9	11	20	31
Stream 2	4	2	12	14	20	34
Stream 2	5	2	15	17	20	37
Stream 2	6	2	18	20	20	40
Stream 2	10	2	30	32	20	52

U-Shaped Gully




U-shape gullies typically have well defined bed and banks, with at least one steep bank and clear evidence of soil erosion. Gullies can be ongoing or broken.

- Typically more trench like.
- Undercutting may be visible.
- Often unstable.
- Topsoil and subsoil equally prone to erosion.
- Effects greater area.
- Vegetation less likely on banks.
- Greater restrictions on forest operations.



V-Shaped Gully




V-shaped gullies typically have defined bed and banks, with at least one steep bank and clear evidence of soil erosion. Gullies can be ongoing or broken.

- Typically more stable and not undercut.
- Topsoil more prone to erosion than subsoil.
- Slumping can be present.
- Higher water velocity in 'v'.
- More likely to have vegetation.
- More forest operations allowed.
- Likely to have smaller buffer.
- Different buffer measurements for slump faces and head scarps.

Determine					Apply		
Watercourse	SF or HS	Defining Bank	SF or HS Buffer	Buffer	Filter B	+F	
Gully V-Shape							
>0.5 EF	0	5	0	5	5	10	
Gully V-Shape							
>0.5 EF	1	5	3	8	5	13	
Gully V-Shape							
>0.5 EF	2	5	6	11	5	16	
Gully V-Shape							
>0.5 EF	3	5	9	14	5	19	
Gully V-Shape							
>0.5 EF	4	5	12	17	5	22	
Gully V-Shape							
>0.5 EF	5	5	15	20	5	25	
Gully V-Shape							
>0.5 EF	6	5	18	23	5	28	
Gully V-Shape							
>0.5 EF	10	5	30	35	5	40	

			SF or HS			
Watercourse	SF or HS	Defining Bank	Buffer	Buffer	Filter	B+F
Gully V-Shape	0	3	0	3	5	8
Gully V-Shape (SF)	1	3	3	6	5	11
Gully V-Shape (HS)	1	3	5	8	5	13
Gully V-Shape	2	3	6	9	5	14
Gully V-Shape	3	3	9	12	5	17
Gully V-Shape	4	3	12	15	5	20
Gully V-Shape	5	3	15	18	5	23
Gully V-Shape	6	3	18	21	5	26
Gully V-Shape	10	3	30	33	5	38

Waterway




Dish shaped, gently inclined, shallow, and open depressions.

- Active zone vegetated.
- Seasonally waterlogged.
- Hold water after rain.

	Determine •			Apply			
Watercourse	SF or HS	Defining Bank	SF or HS	Buffer	Filter	B+F	
watercourse	3F 01 H3	Delining bank	Dullel	Duller	riiter	DTF	
Waterway	0	1	0	1	5	6	
Waterway	1	1	3	4	5	9	
Waterway	2	1	6	7	5	12	
Waterway	3	1	9	10	5	15	
Waterway	4	1	12	13	5	18	
Waterway	5	1	15	16	5	21	
Waterway	6	1	18	19	5	24	
Waterway	10	1	30	31	5	36	


Major Feature




Natural or artificial waterholes, impoundments, wetlands or springs and soaks. There are two water feature classes: major and minor.

Major Water Feature area greater than 1,000m2.

- Water feature is measured from the beds and banks or the full storage level.
- Vegetation and flora and fauna debris present in absence of surface water.
- Seepage, soaks and springs evident.
- Soil conditions show prolonged water saturation.



Minor Feature



Natural or artificial waterholes, impoundments, wetlands or springs and soaks. There are two water feature classes.

Minor Water Feature area less than 1,000m2

- Water feature is measured from the beds and banks or the full storage level.
- Vegetation and flora and fauna debris present in absence of surface water.
- Seepage, soaks and springs evident.
- Soil conditions show prolonged water saturation.

	Determine		Apply			
	1		SF or HS	↓	1	4
Watercourse	SF or HS	Defining Bank	Buffer	Buffer	Filter	B+F
Minor water						
feature	0	10	0	10	10	20
Minor water						
feature	1	10	3	13	10	23
Minor water						†
feature	2	10	6	16	10	26
Minor water					•	
feature	3	10	9	19	10	29
Minor water						
feature	4	10	12	22	10	32
Minor water						
feature	5	10	15	25	10	35
Minor water						†
feature	6	10	18	28	10	38
Minor water						
feature	10	10	30	40	10	50